



PRODUCT CATALOGUE

2025



Strong Installation Systems

İZ YAPI Building Materials

"27 years ago, we set out to provide complementary products for the ceramics and sanitaryware industry. We started by simplifying installations, then enhanced the durability of our products. Today, we take pride in being a trusted solution partner for the world's leading ceramics and sanitaryware brands in Europe, Turkey, and the Middle East.

Now, we are advancing as an innovation hub for the sanitaryware industry. As a strong installation systems company, İZ YAPI is passionate about developing innovative plumbing solutions that make life easier. Sustainability is at the core of our operations, reflecting our respect for nature. With energy-efficient production facilities, we protect the planet while addressing global needs.


Currently, we have a presence in over 100 countries, and in 2024, we produced and delivered over 100 million products to make life easier for people around the world.

Our mission is to provide smarter and more sustainable solutions for the sanitaryware industry, enabling a better, more hygienic life while respecting nature and minimizing environmental impact.


Our vision is to redefine excellence and elevate standards in the sanitaryware industry."



Please scan QR code



Contents



04 > Pop-Up, Siphon & Overflow Rings

40 > Concealed Stop Valve

54 > Integrated Taps For WC

62 > Hygienic Bidet Systems

72 > Shut-Offs



88 > Complementary Concealed Cistern Product

106 > Fixing Sets For Sanitary Ware Items

130 > Wc Pan Connectors

148 > Gaskets

154 > Plaster Mold Parts & Notches



Strong Installation Systems

TS EN 274-1 Certified

All products in this group have been rigorously tested and certified according to the TS EN 274-1 standard. They meet all required safety and performance benchmarks, ensuring durability and reliable use.

Pop-Up, Siphon & Overflow Rings

04 - 39

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

ELIXIR Pop Up - Ceramic

ABS Body, Ceramic Head: G1-1/4" Standard size, fits all basins. Tool-free easy installation. The mechanism has a hair filter, which can be removed and cleaned easily for better hygiene and performance. Ideal for basins without overflow holes or thin steel basins. Combining elegance with functionality, this product also includes a leak-proof guarantee for peace of mind.


WITHOUT OVERFLOW
MATT BLACK

 **22 0581**

 63

 56x26x44 cm

 14,61 kg



MATT WHITE

 **22 0641**



GLOSS GOLD

 **22 0588**



GLOSS CHROME

 **22 0583**



GLOSS WHITE

 **22 0586**



GLOSS RED

 **22 0590**



GLOSS BLACK

 **22 0579**

This product group consists of models with overflow holes. The overflow hole allows excess water in the basin to be drained in a controlled manner, preventing it from spilling onto the floor or surrounding areas. Additionally, it meets the requirements of the EN 1717 standard, ensuring safe usage.


WITH OVERFLOW
MATT BLACK

 **22 0582**

 63

 56x26x44 cm

 14,61 kg



MATT WHITE

 **22 0640**



GLOSS GOLD

 **22 0589**



GLOSS CHROME

 **22 0584**



GLOSS WHITE

 **22 0587**




GLOSS RED

 **22 0591**



GLOSS BLACK


 **22 0580**




Felix Pop Up - Stainless Solid Steel

ABS Body, 304 Stainless Steel Head:
G1-1/4" Standard size, fits all basins. Tool-free easy installation. The 304 stainless steel head offers durability and corrosion resistance. The mechanism has a hair filter, which can be removed and cleaned easily for better hygiene and performance.

WITHOUT OVERFLOW
SOLID STEEL



WITH OVERFLOW
SOLID STEEL



Extendable Waste(Magic) Pipe

Magic Pipe is a flexible drain pipe that can expand up to 70 cm and designed for kitchen and bathroom use. It is available with two types of nut connections: zamak and plastic, both offering durability and reliability.


WITH PLASTIC NUT

18 0106

150

60x40x60 cm

11,7 kg



WITH METAL NUT


18 0117




Qualis Pop Up - Zamac

Metal Body, Metal Head: Standard size, fits all basins with a drain hole.

WITHOUT OVERFLOW
ZAMAC



WITH OVERFLOW
ZAMAC



Felix Pop Up - Stainless Solid Steel with Extendable Waste Pipe


WITHOUT OVERFLOW
SOLID STEEL POP UP

22 0564

50


56x26x44 cm

9,9 kg



WITH OVERFLOW
SOLID STEEL POP UP

22 0565



Qualis Pop Up Zamac+Extendable Waste Pipe With Zamac Nut


WITHOUT OVERFLOW
ZAMAC POP UP

22 0325

50


56x26x44 cm

9,9 kg



WITH OVERFLOW
ZAMAC POP UP

22 0326



Elixir Pop Up - Ceramic with Extendable Waste Pipe

WITHOUT OVERFLOW
GLOSS CHROME POP UP



22 0573





18



56x26x44 cm



7,53 kg



MATT WHITE



22 0576



GLOSS GOLD



22 0562



MATT BLACK



22 0568



GLOSS WHITE



22 0566



GLOSS RED



22 0567



GLOSS BLACK



22 0569

WITH OVERFLOW
GLOSS CHROME POP UP



22 0574





18



56x26x44 cm



7,53 kg



MATT WHITE



22 0577



GLOSS GOLD



22 0563



MATT BLACK



22 0571



GLOSS WHITE



22 0570



GLOSS RED



22 0575



GLOSS BLACK



22 0572

ZeroVision Drain

ZeroVision Drain is the top choice for a simple, modern design. It offers a hidden drainage solution for basins, fitting easily into any setup. With no visible parts, it creates a clean and stylish look. It also gives more design options than standard basins.

ZeroVision Drain makes your bathroom look more elegant and ensures reliable, leak-proof performance.



24 0081



80




45x37x32 cm



10,8 kg



PATENTED



WATCH HOW TO INSTALL



MOON Adjustable Bottle Trap - ABS

The MOON siphon, made from ABS material, offers height adjustability up to 140 mm, making it adaptable to various installations. Its odor-preventing design ensures hygienic use, while the tool-free installation allows for quick and easy setup. The detachable nut structure makes cleaning fast and convenient, combining both aesthetics and functionality.


GLOSS CHROME
Max. 250 mm

24 0016

10

38x38x34 cm

4,38 kg



MATTE BLACK

24 0015



MATTE WHITE

24 0014



GLOSS GOLD

24 0017



GLOSS WHITE

24 0013


GLOSS CHROME
Max. 300 mm

24 0021

10

38x38x34 cm

4,38 kg



MATTE BLACK

24 0020



MATTE WHITE

24 0019



GLOSS GOLD

24 0022



GLOSS WHITE

24 0018



250 mm or 300 mm: The Choice is Yours



MOON Gloss Chrome Bottle Trap With Pop-Ups



250 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0605

250 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0604



250 mm MOON SIPHON
WITH HOLE
FELIX POP-UP

22 0634

250 mm MOON SIPHON
WITHOUT HOLE
FELIX POP-UP

22 0635



250 mm MOON SIPHON
WITH HOLE
QUALIS POP-UP

22 0440

250 mm MOON SIPHON
WITHOUT HOLE
QUALIS POP-UP

22 0439



8



38x38x34 cm




4,38 kg

5 year
GUARANTEE

TSE
EN 274-1

TSE
EN 248 200H
SALT TEST



300 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0628

300 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0629



300 mm MOON SIPHON
WITHOUT HOLE
FELIX POP-UP

22 0637

300 mm MOON SIPHON
WITH HOLE
FELIX POP-UP

22 0636



300 mm MOON SIPHON
WITHOUT HOLE
QUALIS POP-UP

22 0483

300 mm MOON SIPHON
WITH HOLE
QUALIS POP-UP

22 0484



8



38x38x34 cm



4,38 kg


REGISTERED
DESIGN

MOON Gloss Gold Bottle Trap With Pop-Ups




250 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0601




250 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0600




300 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0624



300 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0625



NO MORE CLOGS!

Easy Cleaning with a Removable
Cap, Hassle-Free Maintenance.





MOON Matte Black Bottle Trap With Pop-Ups



250 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0609



38x38x34 cm

4,38 kg



NO CUTTING, NO HASSLE!

Easily Adjust Your Siphon
with the Elevator System.



300 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0624




38x38x34 cm

4,38 kg






MOON Matte White Bottle Trap With Pop-Ups



NATURAL MATTE, PAINT-FREE ELEGANCE!

A Sleek Look with Our New Technology.




MOON Gloss White Bottle Trap With Pop-Ups




250 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0603




250 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0602




300 mm MOON SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0626



300 mm MOON SIPHON
WITH HOLE
ELIXIR POP-UP

22 0627



QUAD Adjustable Bottle Trap - ABS

The QUAD siphon, made from ABS material, offers height adjustability up to 140 mm, making it adaptable to various installations. Its odor-preventing design ensures hygienic use, while the tool-free installation allows for quick and easy setup. The detachable nut structure makes cleaning fast and convenient, combining both aesthetics and functionality.

GLOSS CHROME
Max. 250 mm



24 0006




10



38x38x34 cm



3,8 kg



MATTE BLACK



24 0005



MATTE WHITE



24 0004



GLOSS GOLD



24 0007



GLOSS WHITE



24 0003

GLOSS CHROME
Max. 300 mm



24 0011




10



38x38x34 cm



4,5 kg



MATTE BLACK




24 0010



MATTE WHITE



24 0009



GLOSS GOLD



24 0012



GLOSS WHITE



24 0008

QUAD Gloss Chrome Bottle Trap With Pop-Ups



250 mm QUAD SIPHON
WITH HOLE
ELIXIR POP-UP



22 0597

250 mm QUAD SIPHON
WITHOUT HOLE
ELIXIR POP-UP



22 0596



250 mm QUAD SIPHON
WITH HOLE
FELIX POP-UP



22 0644

250 mm QUAD SIPHON
WITHOUT HOLE
FELIX POP-UP



22 0642



250 mm QUAD SIPHON
WITH HOLE
QUALIS POP-UP



22 0424

250 mm QUAD SIPHON
WITHOUT HOLE
QUALIS POP-UP



22 0423



8



38x38x34 cm



5,5 kg

SLEEK EDGES, MODERN SOLUTIONS!

Square Design for Tomorrow's Bathrooms



300 mm QUAD SIPHON
WITH HOLE
ELIXIR POP-UP



22 0621

300 mm QUAD SIPHON
WITHOUT HOLE
ELIXIR POP-UP



22 0620



300 mm QUAD SIPHON
WITH HOLE
FELIX POP-UP



22 0645

300 mm QUAD SIPHON
WITHOUT HOLE
FELIX POP-UP



22 0643



300 mm QUAD SIPHON
WITH HOLE
QUALIS POP-UP



22 0468

300 mm QUAD SIPHON
WITHOUT HOLE
QUALIS POP-UP



22 0467



8




38x38x34 cm



5,05 kg

QUAD Gloss Gold Bottle Trap With Pop-Ups






250 mm QUAD SIPHON
WITH HOLE
ELIXIR POP-UP

22 0593

250 mm QUAD SIPHON
WITHOUT HOLE
ELIXIR POP-UP

22 0592





300 mm QUAD SIPHON
WITH HOLE
ELIXIR POP-UP


22 0617

300 mm QUAD SIPHON
WITHOUT HOLE
ELIXIR POP-UP




22 0616





QUAD Matt Black Bottle Trap With Pop-Ups



QUAD Gloss White Bottle Trap With Pop-Ups



QUAD Matte White Bottle Trap With Pop-Ups



ARC Adjustable Bottle Trap - ABS

The ARC siphon, made from ABS material, offers height adjustability up to 30 mm, making it adaptable to various installations. Its odor-preventing design ensures hygienic use, while the tool-free installation allows for quick and easy setup.


GLOSS CHROME
Max. 250 mm

 24 0024

 10

 38x38x34 cm

 3.8 kg



ARC Gloss Chrome Bottle Trap With Pop-Ups



WITH HOLE
ELIXIR POP-UP

 22 0615

WITHOUT HOLE
ELIXIR POP-UP

 22 0614



WITH HOLE
FELIX POP-UP

 22 0638

WITHOUT HOLE
FELIX POP-UP

 22 0639



WITH HOLE
QUALIS POP-UP

 22 0452

WITHOUT HOLE
QUALIS POP-UP

 22 0451

 8

 38x38x34 cm

 4.38 kg

ARC Gloss Gold Bottle Trap With Pop-Ups





WITH HOLE
ELIXIR POP-UP


 22 0611

WITHOUT HOLE
ELIXIR POP-UP

 22 0610



 8

 38x38x34 cm

 5.2 kg



ARC Gloss White Bottle Trap With Pop-Ups





WITH HOLE
ELIXIR POP-UP

 22 0613

WITHOUT HOLE
ELIXIR POP-UP

 22 0612



 8

 38x38x34 cm

 4.38 kg

CAMO Adjustable Bottle Trap - ABS

The CAMO siphon, made from ABS material, offers height adjustability up to 30 mm, making it adaptable to various installations. Its odorpreventing design ensures hygienic use, while the tool-free installation allows for quick and easy setup. The detachable nut structure makes cleaning fast and convenient, combining both aesthetics and functionality.

GLOSS CHROME
Max. 620 mm



24 0043



15



38x38x34 cm



7,5 kg

GLOSS WHITE
Max. 620 mm



24 0031



15




38x38x34 cm



7,5 kg

SAVE MORE SPACE WITH OUR
Innovative Smart Design



LUNA Adjustable Bottle Trap - ABS

The LUNA siphon, made from ABS material, offers height adjustability up to 140 mm, making it adaptable to various installations. Its odorpreventing design ensures hygienic use, while the tool-free installation allows for quick and easy setup. The detachable nut structure makes cleaning fast and convenient, combining both aesthetics and functionality.

GLOSS CHROME
Max. 620 mm



24 0064



10



38x38x34 cm



4,5 kg

GLOSS WHITE
Max. 620 mm



24 0033



10




38x38x34 cm



4,5 kg

SAVE MORE SPACE WITH OUR
Innovative Smart Design



GLOSS WHITE
Max. 250 mm



24 0078



18



38x38x34 cm



4,5 kg

GLOSS WHITE
Max. 250 mm



24 0099




18



38x38x34 cm



4,5 kg



Overflow Rings

Our overflow rings come in a variety of designs and colors to perfectly complement the aesthetics of your sink. Designed with modern lines, these rings enhance your sink's elegance and durability


Ring Type A GLOSS CHROME

 **13 0068**

 2500

 39x38x21 cm

 5 kg



MATT BLACK

 **13 0069**



GLOSS GOLD

 **13 0066**



SHINY WHITE

 **13 0067**




Ring Type B GLOSS CHROME

 **13 0070**

 2500

 39x38x21 cm

 5.8 kg



Overflow Rings

The Removable Sink Ring for Easy Cleaning! With its modern design, this ring can be removed as needed, helping you maintain high hygiene standards. It offers both practical and hygienic solutions, enhancing your bathroom's elegance and standing out with its functionality.


Ring Type C GLOSS CHROME

 **13 0073**

 400

 39x38x21 cm

 2,36 kg



MATT BLACK

 **13 0074**



GLOSS GOLD

 **13 0071**



SHINY WHITE

 **13 0072**



Overflow Rings

Our overflow rings come in a variety of designs and colors to perfectly complement the aesthetics of your sink. Designed with modern lines, these rings enhance your sink's elegance and durability



Ring Type D GLOSS CHROME

13 0077

2500

39x38x21 cm

5.5 kg



MATT BLACK

13 0078



GLOSS GOLD

13 0075



SHINY WHITE

13 0076



Ring Type E GLOSS CHROME

13 0081

2000

39x38x21 cm

4.64 kg



MATT BLACK

13 0082



GLOSS GOLD

13 0079



SHINY WHITE

13 0080





Strong Installation Systems

TSE K 648

All products in this group have been rigorously tested and certified according to the TSE K 648 criterion. They meet all required safety and performance benchmarks, ensuring durability and reliable use.

Concealed Stop Valve

40 - 53

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

TWIST Concealed Stop Valve

With its PPRC body, this product combines durability with excellent performance. It provides an aesthetic solution for wall-mounted installations, while the TWIST zamak handle adds a modern touch, combining functionality with elegance. Durable and resistant to corrosion, it promises long-lasting use.


GLOSS CHROME
ZAMAC HANDLE
1/2" PPRC BODY

10 0516

GLOSS GOLD
ZAMAC HANDLE
1/2" PPRC BODY

10 0517

20 45x37x32 cm 13 kg



TWIST Concealed Stop Valve

With its BRASS body, this product combines durability with excellent performance. It provides an aesthetic solution for wall-mounted installations, while the TWIST zamak handle adds a modern touch, combining functionality with elegance. Durable and resistant to corrosion, it promises long-lasting use.


GLOSS CHROME
ZAMAC HANDLE
1/2" BRASS BODY

10 0526

GLOSS GOLD
ZAMAC HANDLE
1/2" BRASS BODY

10 0527

20 45x37x32 cm 12 kg



THE COLD TOUCH OF METAL, TIMELESS ELEGANCE


GLOSS CHROME
ZAMAC HANDLE
3/4" PPRC BODY

10 0544

GLOSS GOLD
ZAMAC HANDLE
3/4" PPRC BODY

10 0543

20 45x37x32 cm 13 kg



OCTAGON Concealed Stop Valve

With its PPRC body, this product combines durability with excellent performance. It provides an aesthetic solution for wall-mounted installations. The OCTAGON Concealed Stop Valve combines aesthetics and engineering with its octagonal design. Its elegant geometric lines and durable structure ensure both style and functionality for modern bathrooms and industrial spaces.


GLOSS CHROME
ZAMAC HANDLE
1/2" PPRC BODY

10 0518

GLOSS GOLD
ZAMAC HANDLE
1/2" PPRC BODY

10 0519

20 45x37x32 cm 13 kg



OCTAGON Concealed Stop Valve

With its BRASS body, this product ensures robust construction and high performance. It provides an aesthetic solution for wall-mounted installations. The OCTAGON Concealed Stop Valve combines aesthetics and engineering with its octagonal design. Its elegant geometric lines and durable structure ensure both style and functionality for modern bathrooms and industrial spaces.


GLOSS CHROME
ZAMAC HANDLE
1/2" BRASS BODY

10 0524

GLOSS GOLD
ZAMAC HANDLE
1/2" BRASS BODY

10 0525

20 45x37x32 cm 12 kg



THE COLD TOUCH OF METAL, TIMELESS ELEGANCE


GLOSS CHROME
ZAMAC HANDLE
3/4" PPRC BODY

10 0542

GLOSS GOLD
ZAMAC HANDLE
3/4" PPRC BODY

10 0541

20 45x37x32 cm 13 kg



ROUNDEL Concealed Stop Valve

With its PPRC body, this product combines durability with excellent performance. It provides an aesthetic solution for wall-mounted installations, The ROUNDEL Concealed Stop Valve stands out with its circular design, symbolizing simplicity and harmony. Its sleek and durable structure offers a perfect balance of elegance and practicality, making it ideal for modern bathrooms and industrial settings.


GLOSS CHROME
ZAMAC HANDLE
1/2" PPRC BODY

10 0484

GLOSS GOLD
ZAMAC HANDLE
1/2" PPRC BODY

10 0539

20 45x37x32 cm 13 kg



THE COLD TOUCH OF METAL, TIMELESS ELEGANCE


GLOSS CHROME
ZAMAC HANDLE
3/4" PPRC BODY

10 0485

GLOSS GOLD
ZAMAC HANDLE
3/4" PPRC BODY

10 0540

20 45x37x32 cm 13 kg



ROUNDEL Concealed Stop Valve

With its BRASS body, this product ensures robust construction and high performance. It provides an aesthetic solution for wall-mounted installations, The ROUNDEL Concealed Stop Valve stands out with its circular design, symbolizing simplicity and harmony. Its sleek and durable structure offers a perfect balance of elegance and practicality, making it ideal for modern bathrooms and industrial settings.


GLOSS CHROME
ZAMAC HANDLE
1/2" BRASS BODY

10 0433

GLOSS GOLD
ZAMAC HANDLE
1/2" BRASS BODY

10 0432

20 45x37x32 cm 12 kg



ROUNDEL Surface Mounted Group Repair Kit

The ROUNDEL Surface Mounted Group Repair Kit, with its ability to be installed up to a depth of 15 cm and standard dimensions, can easily replace other concealed intermediate stop valves. These features make it a practical and effective solution for both renovation and maintenance projects.


GLOSS CHROME
ZAMAC HANDLE
1/2" PPRC BODY

23 0075

GLOSS GOLD
ZAMAC HANDLE
1/2" PPRC BODY

23 0078

80 45x37x32 cm 18 kg



ELIXIR Concealed Stop Valve

With its PPRC body, this product offers both strength and high performance. It provides an aesthetic solution for wall-mounted installations.

GLOSS CHROME
1/2" PPRC BODY




10 0536

GLOSS GOLD
1/2" PPRC BODY

10 0535

MATTE BLACK
1/2" PPRC BODY

10 0537



20 45x37x32 cm 9 kg

GLOSS CHROME
3/4" PPRC BODY



10 0453

GLOSS GOLD
3/4" PPRC BODY

10 0538

MATTE BLACK
3/4" PPRC BODY

10 0454



20 45x37x32 cm 9 kg

ELIXIR Concealed Stop Valve

With its BRASS body, this product ensures robust construction and high performance. It provides an aesthetic solution for wall-mounted installations.

GLOSS CHROME
1/2" BRASS BODY





10 0079

GLOSS GOLD
1/2" BRASS BODY


10 0077

MATTE BLACK
1/2" BRASS BODY

10 0080



20 45x37x32 cm 8 kg




QUALIS Concealed Stop Valve

With its PPRC body, this product offers both strength and high performance. It provides an aesthetic solution for wall-mounted installations.

GLOSS CHROME
1/2" PPRC BODY

 **10 0017**




GLOSS GOLD
1/2" PPRC BODY

 **10 0015**



MATTE BLACK
1/2" PPRC BODY


 **10 0018**



 20  45x37x32 cm  9 kg

GLOSS CHROME
3/4" PPRC BODY

 **10 0041**




GLOSS GOLD
3/4" PPRC BODY

 **10 0039**



MATTE BLACK
3/4" PPRC BODY

 **10 0042**




 20  45x37x32 cm  9 kg

QUALIS Concealed Stop Valve

With its BRASS body, this product ensures robust construction and high performance. It provides an aesthetic solution for wall-mounted installations.

GLOSS CHROME
1/2" BRASS BODY

 **10 0033**





GLOSS GOLD
1/2" BRASS BODY

 **10 0031**




MATTE BLACK
1/2" BRASS BODY

 **10 0034**



 20  45x37x32 cm  8 kg



FELIX Concealed Stop Valve

With its PPRC body, this product offers both strength and high performance. It provides an aesthetic solution for wall-mounted installations.

GLOSS CHROME
1/2" PPRC BODY

10 0117

GLOSS GOLD
1/2" PPRC BODY

10 0115

MATTE BLACK
1/2" PPRC BODY

10 0118



GLOSS CHROME
3/4" PPRC BODY

10 0150

GLOSS GOLD
3/4" PPRC BODY

10 0148

MATTE BLACK
3/4" PPRC BODY

10 0151



FELIX Concealed Stop Valve

With its BRASS body, this product ensures robust construction and high performance. It provides an aesthetic solution for wall-mounted installations.

GLOSS CHROME
1/2" BRASS BODY

10 0136

GLOSS GOLD
1/2" BRASS BODY

10 0134

MATTE BLACK
1/2" BRASS BODY

10 0137





Strong Installation Systems

COMFORT BIDET

Integrated Taps For WC

54 - 61

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

Integrated Tap For Back To Wall WC - Inside Fixing

Cistern and bidet systems can be operated by just one water outlet.
Continuous flow for cistern and on/off for bidet system. Ideal for modern back-to-wall WC installations requiring efficient water control..
Extra 3 pieces 40cm. 3/8" stainless flex hoses



CHROME

 **10 0563**

 20

 45x37x32 cm

 7,71 kg



MATT BLACK

 **10 0564**



GOLD

 **10 0565**

Integrated Tap For Back To Wall WC - Outside Fixing



CHROME

 **10 0566**

 20

 45x37x32 cm

 7,79 kg




MATT BLACK

 **10 0568**



GOLD


 **10 0567**





Collector For Cistern and Bidet System


Cistern and bidet systems can be operated by just one water outlet. Continuous flow for cistern and on/off for bidet system. It is perfectly suitable for two-pieces WCs. Extra 2 pieces 40cm. 3/8" stainless flex hoses and stainless nozzle.


CHROME

 **10 0578**


 16


 42x35x28,5 cm



 8 kg



WHITE

 **10 0577**





Integrated Cold Water Tap For WC - Inside Fixing

Cold water cartridge. Extra 2 pieces 40cm. 3/8" stainless flex hoses.

CHROME

 **10 0551**

 20

 45x37x32 cm

 6,12 kg



MATT BLACK

 **10 0553**



GOLD

 **10 0552**









Integrated Hot&Cold Water Tap For WC - Inside Fixing


Hot&Cold water mixing cartridge. Extra 3 pieces 40cm. 3/8" stainless flex hoses.

CHROME

 **10 0554**

 20

 45x37x32 cm

 7,71 kg




MATT BLACK


 **10 0556**



GOLD

 **10 0555**





WATCH HOW TO INSTALL



Integrated Cold Water Tap For WC - Outside Fixing

Cold water cartridge.
Extra 2 pieces 40cm. 3/8" stainless flex hoses.

CHROME

10 0557

20

45x37x32 cm

6 kg





MATT BLACK

10 0559



GOLD

10 0558



Integrated Hot&Cold Water Tap For WC - Outside Fixing

Hot&Cold water mixing cartridge.
Extra 3 pieces 40cm. 3/8" stainless flex hoses.

CHROME

10 0560

20

45x37x32 cm

7,79 kg





MATT BLACK

10 0556



GOLD

10 0555





Strong Installation Systems

Hygienic Bidet Systems

62 - 71

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

Nozzle Set

WHITE





23 0079



CHROME



23 0080



Aerator Nozzle Set

CHROME



23 0082





500



38x25x20 cm



8,42 kg



Circular Stainless Steel Nozzle Set

(Ø26)



23 0083





500



38x25x20 cm



8,6 kg



Ø26 - 15°



23 0084




500



38x25x20 cm



7,26 kg



Circular Stainless Steel Nozzle Set

(Ø22)



23 0081




500



38x25x20 cm



8,26 kg



Ø22 - 15°



23 0085





500



38x25x20 cm



8,42 kg




Flexible Hygienic Bidet Systems

20 0769

200


38x25x20 cm

8,6 kg




Nozzles


1) CHROME - WHITE ROUND NOZZLE




2) STAINLESS STEEL NOZZLE Ø26



3) STAINLESS STEEL NOZZLE WITH NUT Ø26




4) STAINLESS STEEL NOZZLE Ø22




Connectors


1) ELBOW CONNECTOR




2) STRAIGHT CONNECTOR



1) ELBOW CONNECTOR



2) STRAIGHT CONNECTOR



SCAN THE QR CODE AND LET US KNOW WHAT YOU NEED.

OUR TEAM WILL MAKE THE SELECTION FOR YOU!


Hygienic Bidet Systems Chrome

20 0255

175

39x38x21 cm

9,04 kg




Nozzles


1) CHROME - WHITE ROUND NOZZLE




2) BRASS CHROME NOZZLE WITH FILTER




3) STAINLESS STEEL NOZZLE Ø26 15°



4) STAINLESS STEEL NOZZLE Ø22 15°



Threaded Tube



X: Total length of the part (end-to-end length)

1- X: 170 mm

2- X: 290 mm

3- X: 340 mm

4- X: 370 mm






Hygienic Bidet Systems

 **20 0770**


 200

 39x38x21 cm

 5,3 kg



Threaded Tube



X: Total length of the part (end-to-end length)


- 1 - X: 170 mm
- 2 - X: 250 mm
- 3 - X: 310 mm
- 4 - X: 370 mm

Nozzles


1) CHROME - WHITE ROUND NOZZLE




2) BRASS CHROME NOZZLE WITH FILTER



3) STAINLESS STEEL NOZZLE Ø26 15°



4) STAINLESS STEEL NOZZLE Ø22 15°



Spray Nozzle Water Inlet Connection

3/8"

20 0772


250

39x38x20 cm

5,3 kg


Nozzle

Elbow
Water Inlet
Connection




Nozzles


1) Concave Stainless Steel Nozzle 21 mm




2) Concave Stainless Steel Nozzle 31 mm




3) Flat Stainless Steel Nozzle 23 mm



4) Flat Stainless Steel Nozzle 30 mm



Elbow Water Inlet Connections



1 - X: 1/2"
2 - X: 3/8"



Elbow Spray Nozzle With Flexible Hose


600 mm

20 0766

50

38x25x20 cm

5,45 kg



Straight Spray Nozzle With Flexible Hose


500 mm

20 0767

50

38x25x20 cm

5,5 kg



SCAN THE QR CODE AND LET US KNOW WHAT YOU NEED.
OUR TEAM WILL MAKE THE SELECTION FOR YOU!



Strong Installation Systems

SASO Certified Shut-Off Valves



All shut-off valves in this group have been rigorously tested and certified according to the SASO standards. They meet all required safety and performance benchmarks, ensuring durability, efficiency, and reliable use in various applications.

Shut-Offs

72 - 87

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

Felix With Pvc Shower Hose

The Felix model features a high-quality ABS body and provides continuous water flow through its fixed button position. It includes a twist-free PVC shower hose and a wall-mounting bracket for easy and convenient use.


WHITE

 **21 0039**

 24

 36x32x41 cm

 7,47 kg



CHROME

 **21 0148**



MATT BLACK

 **21 0066**




GOLD


 **21 0160**



WORKING PRESSURE
8 BAR




TESTED 25.000 TIMES
IN HOT WATER




TESTED
50.000 CYCLES



0,33 L/SN



EASY PUSH
BUTTON



Felix With Stainless Shower Hose


WHITE

 **21 0388**

 24

 36x32x41 cm

 7,81 kg



WATCH HOW TO INSTALL



Qualis With Pvc Shower Hose

The Qualis series, with its front-facing button design, offers the perfect solution for modern bathrooms. The silicone flow director ensures a smooth and quiet water flow while preventing splashing, adding both comfort and efficiency. Its durable construction and sleek design combine aesthetics with functionality.


WHITE

 **21 0166**

 24

 36x32x41 cm

 7,47 kg




CHROME

 **21 0199**



GLOSS BLACK

 **21 0288**



GOLD

 **21 0207**



WORKING PRESSURE
8 BAR




TESTED 25.000 TIMES
IN HOT WATER




TESTED
50.000 CYCLES



0,33 L/SN



EASY PUSH
BUTTON



Qualis With Stainless Shower Hose


WHITE

 **21 0315**

 24

 36x32x41 cm

 7,98 kg



Elixir With Pvc Shower Hose

The ELIXIR series, with its front-facing button design, offers the perfect solution for modern bathrooms. The silicone flow director ensures a smooth and quiet water flow while preventing splashing, adding both comfort and efficiency. Its durable construction and sleek design combine aesthetics with functionality.


WHITE

 **21 0209**

 24

 36x32x41 cm

 7,83 kg




CHROME

 **21 0397**



GLOSS BLACK

 **21 0280**




GOLD

 **21 0464**



WORKING PRESSURE
8 BAR




TESTED 25.000 TIMES
IN HOT WATER




TESTED
50.000 CYCLES



0,33 L/SN



EASY PUSH
BUTTON



Elixir With Stainless Shower Hose


GLOSS BLACK

 **21 0311**

 24

 36x32x50 cm

 8,5 kg



Consolatus With Pvc Shower Hose

The Consolatus model stands out with its sleek square design, combining modern aesthetics with precision. Its internal water-directing component ensures efficient and reliable performance by delivering water straight to the target without any dispersion.


WHITE

 **21 0247**

 24

 36x32x41 cm

 7,47 kg



CHROME

 **21 0404**



MATT BLACK

 **21 0250**




GOLD


 **21 0407**



WORKING PRESSURE
8 BAR




TESTED 25.000 TIMES
IN HOT WATER




TESTED
50.000 CYCLES



0,33 L/SN



EASY PUSH
BUTTON



Consolatus With Stainless Shower Hose


GOLD

 **21 0256**

 24

 36x32x41 cm

 7,68 kg



Refectio With Pvc Shower Hose

The Refectio model features a sleek round design, combining modern aesthetics with precision. Its internal water-directing component ensures efficient and reliable performance by delivering water straight to the target without any dispersion.


WHITE

 **21 0246**

 24

 36x32x41 cm

 7,47 kg



CHROME

 **21 0413**



MATT BLACK

 **21 0249**




GOLD


 **21 0415**



WORKING PRESSURE
8 BAR




TESTED 25.000 TIMES
IN HOT WATER




TESTED
50.000 CYCLES



0,33 L/SN



EASY PUSH
BUTTON



Refectio With Stainless Shower Hose


CHROME

 **21 0252**

 24

 36x32x41 cm

 7,81 kg



Somnium With Pvc Shower Hose

The SOMNIUM model features a sleek round design, combining modern aesthetics with precision. Its internal water-directing component ensures efficient and reliable performance by delivering water straight to the target without any dispersion.


WHITE

 21 0248

 24

 36x32x41 cm

 7,47 kg



CHROME

 21 0486



MATT BLACK

 21 0251




GOLD


 21 0488



WORKING PRESSURE
8 BAR




TESTED 25.000 TIMES
IN HOT WATER




TESTED
50.000 CYCLES



0,33 L/SN



EASY PUSH
BUTTON



Somnium With Stainless Shower Hose


MATT BLACK

 21 0382

 24

 36x32x41 cm

 7,47 kg




Felix Hand Shower

WHITE
21 0036

CHROME
21 0108

MATT BLACK
21 0239

GOLD
21 0240



96 36x32x41 cm 9,71 kg


Qualis Hand Shower

WHITE
21 0165

CHROME
21 0183

GLOSS BLACK
21 0294

GOLD
21 0202



96 36x32x41 cm 10 kg


Elixir Hand Shower

WHITE
21 0242

CHROME
21 0244

GLOSS BLACK
21 0281

GOLD
21 0245



102 36x32x50 cm 11,52 kg


Consolatus Hand Shower

WHITE
21 0259

CHROME
21 0265

MATT BLACK
21 0262

GOLD
21 0268



96 36x32x41 cm 9,71 kg


Refectio Hand Shower

WHITE
21 0258

CHROME
21 0264

MATT BLACK
21 0261

GOLD
21 0267



96 36x32x41 cm 9,71 kg


Somnium Hand Shower

WHITE
21 0260

CHROME
21 0266

MATT BLACK
21 0263

GOLD
21 0269



96 36x32x41 cm 9,71 kg

COMING
soon



Strong Installation Systems


Complementary Concealed Cistern Product

88 - 105

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

FILLEXOR



Cistern Fill Valve



Fillexor Cistern Fill Valve Set

With the 3 easily interchangeable connection options included in the package, installation on all concealed cisterns can be achieved with a single box. The flow control component within the system ensures a constant water flow of 0.15 L/s, even under varying pressures, providing water savings.



1/2" SHANK
3/8" SHANK
1/2" ELBOW SHANK

25 0008

18

40x39x27 cm

3,7 kg




The product fully complies with the requirements of **NF** and **TSE** standards.


T5 EN 14124

"ONE SOLUTION FOR DIFFERENT CISTERNS:


Adaptable Nozzle Change!"




Fillexor Cistern Fill Valve - 1/2" Elbow Shank




“ONE DESIGN, ADAPTABLE TO EVERY INSTALLATION.”



Fillexor Cistern Fill Valve - 1/2" Shank



Fillexor Cistern Fill Valve - 3/8" Plastic Shank




Fillexor Cistern Fill Valve With Brass Shank



Silicone Seal Gasket for Fillexor


Using silicone produced with Liquid Silicone Rubber (LSR) technology provides long-lasting durability.



FILLEXOR


Cistern Fill Valve

UNIVERSAL




2WayFill Ceramic Cistern Valve

Designed for ceramic cisterns, our product offers both bottom and side fill options in a single body, adapting to your specific model requirements.



DOUBLE THE WAYS, ONE PERFECT FILL!




Concealed Cistern Clean Water Elbow

Connects concealed cistern to clean water pipe.




Concealed Cistern Extendable Waste Water Outlet Elbow Pipe

Connects waste water outlet of concealed cisterns to drain.
Can be adjustable through double clamping design.
Thanks to its elastic form, connection is possible even if the outlet is off the center.






Concealed Cistern Connection Pipe - Squatting Pan



Back To Back Concealed Cistern Double Branch Waste Water Pipe - Ø90-90-110x260mm

Connects waste water fittings of back to back concealed cisterns to floor drain.





Concealed Cistern Extendable Waste Water Outlet Pipe

Allows an easy connection for all P-Trap WCs to the waste water installations.


Ø90x180 mm

16 0123

24

36x32x41 cm

7,47 kg



Makes installation easier for WC pans in an awkward position.
Thanks to its elastic form, connection is possible even if the outlet is off the center.


90/100/110MM
Ø90x450MM

16 0126

24

36x32x41 cm

7,47 kg



Concealed Cistern Straight Waste Water Outlet Pipe

Wallhung WC waste water connector.


Ø90x180 mm

16 0127

24

36x32x41 cm

7,47 kg



Concealed Cistern Waste Water Elbow Pipe - Ø90x450mm


Connects waste water outlet of concealed cisterns to drain.
Can be adjustable through double clamping design.

16 0140

20

59x38x52 cm

8,14 kg



Concealed Cistern Adaptor - Ø90-110mm



Connects Ø90 waste water elbow pipe to Ø110 floor drain

16 0139

60

59x38x37 cm

6,57 kg



Concealed Cistern Waste Water Outlet Pipe

Waste water outlet pipe for concealed cisterns.

Ø90x220 mm

16 0121

30

39x38x52 cm

8,1 kg

Ø90-350 mm

16 0111

20

39x38x52 cm

5,96 kg

Concealed Cistern Clean Water Outlet Pipe

Ø45-180 mm

16 0141

175

11,3 kg

Ø45-310 mm

16 0142

125

12,3 kg

Ø45-400 mm

16 0135

90

16,2 kg

Concealed Cistern Clean Water Outlet Gasket - Ø45

16 0136

Concealed Cistern Waste Water Outlet Gasket - Ø90

16 0134

Connection Set For Wall-Hung WC

Connects clean and waste water fittings of WC to concealed cisterns.

Ø90x220+Ø45x180 mm

16 0107

30

39x38x52 cm

12,9 kg

Ø90x350+Ø45x310 mm

16 0109

20

59x38x52 cm

9,95 kg

Concealed Cistern Protection Cover For Pipes

Protects flush pipe outlet of concealed cistern from damage and dirt.

45 mm + Ø90 mm

14 0284

Adjustable Flow Regulator For WC Clean Water Inlet



Mounted to concealed cistern clean water inlet pipe
Can be adjusted four different position by rotating easily.
Prevents splash problem in rimless WC.

16 0138

500

38x25x20 cm

3,5 kg



VELOCITY = 1.086 m/sn
FLOW RATE = 1.25 L/sn

VELOCITY = 0.998 m/sn
FLOW RATE = 1.185 L/sn

VELOCITY = 0.984 m/sn
FLOW RATE = 1.167 L/sn



Concealed Cistern M12 Conical Bush & Stopper


Fixing set for classic wall-mounted WC.

16 0128

100

38x25x20 cm

6,5 kg



Soundproof Foam

It provides silence and comfort in your bathroom.



FOR WC

18 0406

100

60x40x50 cm

3 kg



Connection Set For Wall-Hung WC -25 mm OFFSET

Connects clean and waste water fittings of WC to concealed cisterns.
Used for compensating the offset between WC connections and wall drains.
Toilet bowl can be moved 25mm. in all directions


25 mm OFFSET

16 0110

8

39x38x21 cm

4,45 kg



WATCH HOW TO INSTALL





FOR WASHBASINS

18 0407

100

88x78x46 cm

6,5 kg




Flush Valve Seal

With its silicone material and standard dimensions, it is compatible with most concealed cisterns.

 **18 0405**

 100



Concealed Cistern Clean Water Outlet Gasket - Ø45


Provides sealing between inlet pipe and clean water elbow of concealed cisterns.

 **16 0137**

 1500

 39x38x21 cm

 7.5 kg



Concealed Cistern Waste Water Outlet Gasket - Ø90


Provides sealing between outlet pipe and waste water elbow pipe of concealed cisterns.


 **16 0179**

 500

 39x38x21 cm

 7.5 kg





Strong Installation Systems

Fixing Sets For Sanitary Ware Items

106 - 129

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

WC Side Fixing Set Blue Type


It is used for mounting the toilet bowls to the floor. The fixing direction of the product is horizontal.
The horizontal tolerance of the mounting hole of the toilet bowl is high.

14 0233

75

39x38x21 cm

9 kg



Caps



1-Chrome Ø23



2-White Ø23



3-Black Ø23





4-Chrome Flat Ø20



5-White Flat Ø20



6-Black Flat Ø20





7-Chrome Flat Ø13



8-White Flat Ø13



9-Black Flat Ø13




Screws

1-Stainless Steel

2-Zinc Plated Steel

X: Total Screw Length in mm
X: 50-60-70 mm



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.

OUR TEAM WILL MAKE THE
SELECTION FOR YOU!

WC Side Fixing Set High Type

It is used for mounting the toilet bowls to the floor. The fixing direction of the product is horizontal.
The vertical tolerance of the mounting hole of the toilet bowl is high.

14 0297

50

39x38x21 cm

8 kg



Caps



1-Chrome Ø23



2-White Ø23



3-Black Ø23





4-Chrome Flat Ø20



5-White Flat Ø20



6-Black Flat Ø20




7-Chrome Flat Ø13



8-White Flat Ø13



9-Black Flat Ø13





Screws

1-Stainless Steel



2-Zinc Plated Steel

X: Total Screw Length in mm
X: 50-60-70 mm



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.

OUR TEAM WILL MAKE THE
SELECTION FOR YOU!



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.
OUR TEAM WILL MAKE THE
SELECTION FOR YOU!

WC Side Fixing Set L Type

14 0298

75

39x38x21 cm

9 kg




Caps

1-Chrome Ø23

2-White Ø23

3-Black Ø23




Screws


1-Stainless Steel

2-Zinc Plated Steel

X: Total Screw Length in mm
X: 50-60-70 mm




Main Body



4-Chrome Flat Ø20

5-White Flat Ø20


6-Black Flat Ø20



7-Chrome Flat Ø13

8-White Flat Ø13

9-Black Flat Ø13



Accessories Fixing Set


It is used for mounting the toilet bowls to the floor.
The fixing direction of the product is vertical.

14 0288

400

38x25x20 cm

6 kg





Caps

1-Chrome Ø23

2-White Ø23



3-Black Ø23



4-Chrome Flat Ø20

5-White Flat Ø20


6-Black Flat Ø20



7-Chrome Flat Ø13

8-White Flat Ø13

9-Black Flat Ø13





Screws

1-Stainless Steel

1-Zinc Plated Steel

X: Total Screw Length in mm
X: 50-60-70 mm



SCAN THE QR CODE AND LET US KNOW WHAT YOU NEED.

OUR TEAM WILL MAKE THE SELECTION FOR YOU!

WC Side Fixing Set Vertical Type


It is used for mounting the toilet bowls to the floor.
The fixing direction of the product is vertical.

14 0060

200

38x25x20 cm


8 kg




Screws

1-Stainless Steel

2-Zinc Plated Steel



X: Total Screw Length in mm
X: 70-80 mm



SCAN THE QR CODE AND LET US KNOW WHAT YOU NEED.

OUR TEAM WILL MAKE THE SELECTION FOR YOU!

Plastic Plug With Nut

It is used to close unused clean water inlet holes in back to wall toilets and bidets.

WHITE

 **13 0083**

 1200

 38x38x21 cm

 11 kg




CHROME

 **13 0084**

 1200

 38x38x21 cm

 11 kg



Plug With Gasket 30x16 mm

It is used to close unused clean water inlet holes in back to wall toilets and bidets.

WHITE

 **13 0086**

 2250

 38x38x21 cm

 7 kg





CHROME

 **13 0087**

 2250

 38x38x21 cm

 7 kg



Side Hole Plug-Rubber Ø50x18 mm

It is used to close the tap holes in the basins


WHITE

 **13 0085**

 600

 38x38x21 cm

 8 kg



Water Inlet Elbow

It is used for connecting clean water supplies of toilets.

3/8" 42 mm

 **13 0088**

 700

 39x38x21 cm

 8 kg

3/8" 52 mm

 **13 0089**

 700

 39x38x21 cm

 8 kg


3/8" 62 mm

 **13 0090**

 700

 39x38x21 cm

 8 kg



Sets

 **14 0295**

 30

 70x27x58 cm



 **14 0296**

 20

 70x27x58 cm



Wallhung WC Fixing Set T1 Top Mounting

It is used for mounting in wall-hung WC pans with concealed connection feature.

It is suitable for models that are mounted from the side of the toilet or through the hinge holes of the toilet seat.



12 0424





40



38x25x20 cm




12 kg




Wallhung WC Fixing Set T1 Top Mounting Options




Spacers



Bearings



Stud Bolts



1) X:30
Y: 30-36

2) X:30
Y: 33-39

3) X:30
Y: 37-43

4) X:30
Y: 43-50

5) X:33
Y: 30-36

6) X:33
Y: 33-39

7) X:33
Y: 37-43

8) X:33
Y: 43-50

1) X: 34
Y: 20

2) X: 42
Y: 28

3) X: 53
Y: 39

4) X: 60
Y: 47

5) X: 66
Y: 53

6) X: 70
Y: 57


7) X:80
Y: 66

8) X: 87
Y: 74

1) X: 72
Y: 47

2) X: 90
Y: 60

3) X: 100
Y: 78




SCAN THE QR CODE AND
LET US KNOW WHAT YOU
NEED.

OUR TEAM WILL MAKE
THE SELECTION FOR YOU!

Wallhung WC Fixing Set T1 Under Mounting


It is used for mounting in wall-hung WC pans with concealed connection feature.

It is suitable for models that are mounted from the side of the toilet or from the bottom side of the toilet.




Wallhung WC Fixing Set T1 Under Mounting


Spacers



Stud Bolts



Puller Forcing Set Screws



Wallhung WC Fixing Set T2 Top Mounting


It is used for mounting in wall-hung WC pans with concealed connection feature.
It is suitable for models that are mounted from the side of the toilet or through the hinge holes of the toilet seat.

12 0429


50

38x25x20 cm

14 kg



Bearings




Y' (Compressed Total Length: Y' mm)

1) Bracing 15 mm





2) Bracing 25 mm



Stud Bolts

- 1) X: 72
Y: 47
- 2) X: 90
Y: 60
- 3) X: 100
Y: 78



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.
OUR TEAM WILL MAKE THE
SELECTION FOR YOU!

Wallhung WC Fixing Set T2 Under Mounting

It is used for mounting in wall-hung WC pans with concealed connection feature.
It is suitable for models that are mounted from the lower part of the toilet bowl.

12 0427

25

38x25x20 cm

12 kg




Bearings

1) Bracing 15 mm



2) Bracing 25 mm




Y' (Compressed Total Length: Y' mm)



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.
OUR TEAM WILL MAKE THE
SELECTION FOR YOU!

Puller Forcing Set Screws





Wallhung WC Adjustable Fixing Set T3 Top Mounting

It is used for mounting in wall-hung WC pans with concealed connection feature. With its adjustable structure, it is suitable for all types of toilet bowl thicknesses. It is suitable for models that are mounted from the side of the toilet or through the hinge holes of the toilet seat.



12 0342

35

38x25x20 cm

10 kg

PATENTED





SCAN THE QR CODE AND LET US KNOW WHAT YOU NEED.


OUR TEAM WILL MAKE THE SELECTION FOR YOU!

Fixing Washers


1) Ø30



2) Ø33



Stud Bolts



- 1) X: 72
Y: 47
- 2) X: 90
Y: 60
- 3) X: 100
Y: 78

Wallhung WC Adjustable IZYFIX Set T4 Top Mounting

It is used for mounting in wall-hung WC pans with concealed connection feature. With its adjustable structure, it is suitable for all types of toilet bowl thicknesses. It is suitable for models that are mounted from the side of the toilet or through the hinge holes of the toilet seat.

30 mm compatible

12 0428

20

39x38x21 cm

11 kg




TS EN 997





600 KG TEST

Metal Washers



"If your X = 40 mm, please select the washer compatible with 40 mm.
IF X=25 mm, select 25 mm compatible washer



WATCH HOW TO INSTALL



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.

OUR TEAM WILL MAKE THE
SELECTION FOR YOU!

PATENTED



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

WC Side Fixing Set Vertical Type T34

It is used for mounting the toilet bowls to the floor. The fixing direction of the product is vertical.

SET OF 2

14 0290

200

38x25x20 cm

8 kg




SET OF 4

14 0235

150

38x25x20 cm

11 kg




Urinal Fixing Set

14 0294

200

38x25x20 cm

9 kg



Monoblock Sanitaryware Fixing Set


It is used for mounting monoblock sanitary ware to the wall.

14 0234

30

38x25x20 cm

12 kg



Under Counter Basin Fixing Set L Type


It is used for the installation of under-counter basins.

14 0291

100

38x25x20 cm

16 kg



Water Heater Fixing Set


It is used in the assembly of products such as water heaters, which are mounted by hanging.

14 0126

150

38x25x20 cm

16 kg



Cloakroom and Corner Basin Fixing Set


It is used for mounting monoblock sanitary ware to the wall.

14 0292

150


38x25x20 cm

17 kg




Wall Mounted Basin Fixing Set

It is used for wall mounting of washbasins.




Plastic Washers


1) Thick Washer



2) Self-nut Washer



Stud Bolts



1) X:100 mm Y: 29 mm Z: 58 mm	2) X: 110 mm Y:30 mm Z:58 mm	3) X: 120 mm Y:43 mm Z:58 mm
4) X: 130 mm Y:52 mm Z:58 mm	5) X: 140 mm Y:52 mm Z:63 mm	



SCAN THE QR CODE AND LET
US KNOW WHAT YOU NEED.

**OUR TEAM WILL MAKE THE
SELECTION FOR YOU!**


Semi Pedestal Basin Fixing Set

It is used in the assembly of the washbasin semi pedestals.




Springs

1) Short




1) Long




Switches

1) Short



1) Long





izyapi
STRONG INSTALLATION SYSTEMS

Strong Installation Systems

WC Pan Connectors

130 - 147

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

Eccentric WC Pan Connector (Eva)

Suits vertical outlet WC and allows a 20mm eccentric connection.


20 mm OFFSET

 **11 0489**

 48

 59x38x52 cm

 8,27 kg



WC Eccentric Pan Connector (PP)

A practical and durable solution for vertical outlet WC installations. Available with or without offset options, it ensures a secure fit and seamless wastewater flow. Ideal for efficient and hassle-free plumbing setups in both residential and commercial spaces."



NO OFFSET

 **11 0308**

 60

 59x38x52 cm

 15,63 kg




20 mm OFFSET

 **11 0321**

 60

 59x38x52 cm

 14,4 kg



WC Eccentric Pan Connector (PP)


40 mm OFFSET

 **11 0335**

 40

 59x38x52 cm

 11,88 kg




60 mm OFFSET

 **11 0347**

 40

 59x38x52 cm

 11,6 kg



S Pan Connector Ø100 mm



Designed specifically for connecting P-Trap WCs to the floor, the S Pan Connector offers secure and stable installation with its robust construction. The option to fix it to the wall using metal components ensures enhanced durability and reliability.

11 0471

24

59x38x52 cm

8.92 kg



WC Pan Connector Ø110 mm

Can be especially used for connecting P-Trap WCs to the floor.


Ø110 mm OUTLET

11 0041

40

59x38x52 cm

7.38 kg



Swan Neck WC Pan Connector

Can be especially used for connecting P-Trap WCs to the floor. It can be fixed to the wall by metal components. Compact design - ideal for tight spaces.

Ø90 OUTLET

11 0505

12

59x38x37 cm

4.03 kg

Ø100 OUTLET

11 0506

12

59x38x37 cm

4.27 kg



Ø110 OUTLET

11 0507

12

59x38x37 cm

5.53 kg



0.1 BAR
AIR TEST PASSED

Our product successfully passed the air tightness test under 0.1 bar pressure, ensuring reliable use.



75 N
PULLING FORCE

The removal force of our product from the WC is 75 Newton, ensuring safe usage after installation.



70 SHORE A
GASKET

Gaskets with 70 Shore A hardness provide flexibility and durability, delivering long-lasting sealing performance.

S Pan Connector Adjustable By Cutting T2

Can be especially used for connecting P-Trap WCs to the floor. It can be fixed to the wall by metal components. Compact design - ideal for tight spaces.

Ø90-110 OUTLET

11 0508

WATCH HOW TO INSTALL



12

59x38x52 cm

8,52 kg

Ø100-110 OUTLET

11 0509

WATCH HOW TO INSTALL



S Pan Connector Adjustable By Cutting T3

Ø90-110 OUTLET

11 0511


Ø100-110 OUTLET

11 0510

12

59x38x52 cm

9 kg



S Pan Connector Adjustable By Cutting - T4

Can be especially used for connecting P-Trap WCs to the floor. It can be fixed to the wall by metal components. Compact design - ideal for tight spaces.

Ø100-110 OUTLET

11 0010

WATCH HOW TO INSTALL





Ø90-110 OUTLET

11 0598

12

59x38x52 cm

8,52 kg



Flexible WC Pan Connector (PVC) Ø110 mm PIPE


Provides convenient and flexible connection in wastewater.

Ø90x110 mm OUTLET

350 mm 550 mm
11 0052 11 0513

400 mm 600 mm
11 0455 11 0515

15





Ø100x110 mm OUTLET

350 mm 400 mm
11 0458 11 0512

550 mm 600 mm
11 0514 11 0516

15



**FLEXIBLE POWER,
DURABLE PERFORMANCE!**

X : 400 mm
X' : 320 mm

Extendable WC Pan Connector Ø110 mm


Makes installation easier for WC pans in an awkward position.
extendable form adapts to offset outlets effortlessly.

Ø90/110 mm

450 mm
11 0250

550 mm
11 0261

30





Ø100/110 mm

450 mm
11 0253

550 mm
11 0264

30




0,1 BAR
AIR TEST PASS



75 N
REMOVAL FORCE



70 SHORE
A GASKET



Extendable WC Pan Connector Ø100 mm

Makes installation easier for WC pans in an awkward position.
Connects back to wall WCs to wastewater pipe.
Extendable form adapts to offset outlets effortlessly.

350 mm

11 0086 30

450 mm

11 0104 30

500 mm


11 0126 30

600 mm

11 0174 30

800 mm

11 0358 30



350 mm

11 0098 30

450 mm

11 0116 30

500 mm


11 0161 30

600 mm

11 0183 25

800 mm

11 0186 20



Extendable 90° Bend WC Pan Connector Ø100x460 mm

Makes installation easier for WC pans in an awkward position.


Ø90/110 mm

11 0209

16

59x38x52 cm

7,25 kg




Ø100/110 mm

11 0228

16

59x38x52 cm

7,25 kg



Extendable 90° Bend WC Pan Connector Ø100x460 mm With Inspection Inlet

Ø100/110 mm

11 0595

16

59x38x52 cm

7,25 kg




Ø90/110 mm

11 0281

16

59x38x52 cm

7,25 kg



Anti Cross Flow & Rodent Barrier Valve

"The Anti Cross Flow & Rodent Barrier Valve enhances hygiene and safety by preventing backflow, blocking pests, and eliminating odors. Made from durable materials, it ensures reliable performance in both residential and commercial plumbing. This innovative solution is ideal for modern systems prioritizing sanitation and security."


100/110 mm

11 0296

96

59x38x52 cm

11,96 kg



Straight Pan Connector With Anti Cross-Flow and Rodent Barrier Valve

Connects P-Trap WC to the wall. Prevents cross flow. Eliminate bad odor and sewer smells. Deters rodents from entering building through WC.


Ø100-110 mm

11 0475

12

59x38x37 cm

3,87 kg



Extendable 90° Bend WC Pan Connector With Anti Cross-Flow and Rodent Barrier Valve

Makes installation easier for WC pans in an awkward position. Connects back to wall WCs to wastewater pipe. Extendable form adapts to offset outlets effortlessly. Prevents cross flow. Eliminate bad odor and sewer smells. Deters rodents from entering building through WC


Ø100-110 mm

11 0442

24

61x52x42 cm

7,31 kg



Extendable 90° Bend WC Pan Connector With Anti Cross-Flow and Rodent Barrier Valve and Inspection Inlet

Easy to unclog it thanks to Ø40 inspection inlet. Makes installation easier for WC pans in an awkward position. Connects back to wall WCs to wastewater pipe. Extendable form adapts to offset outlets effortlessly. Prevents cross flow. Eliminate bad odor and sewer smells. Deters rodents from entering building through WC


100/110 mm

11 0294

24

61x52x42 cm

13,85 kg



Extendable WC Pan Connector With Anti Cross-Flow and Rodent Barrier Valve

Makes installation easier for WC pans in an awkward position. Thanks to its elastic form, connection is possible even if the outlet is off the center. Prevents cross flow. Eliminate bad odor and sewer smells. Deters rodents from entering building through WC


100/110 mm

11 0189

24

61x52x42 cm


13,85 kg



Easy Flex Hose

The Easy Flex Hose (90° Elbow) features a flexible design, making it perfect for installations requiring angled connections. Its flexibility allows for easy alignment, even in tight or awkward spaces, ensuring a secure and leak-free fit."


- 350 mm
11 0518 50
- 450 mm
11 0469 40
- 600 mm
11 0476 30



Easy-Flex Hose (Adjustable By Screwing Motion)

Both sides are detachable and adjustable by cutting as needed.



- 350 mm
11 0519 60
- 450 mm
11 0474 50
- 600 mm
11 0470 40



Easy Flex Hose


The Easy Flex Hose (Straight) is designed for bathtub and shower trap installations, providing flexibility for easy and seamless connections.

- 350 mm
11 0456 50
- 450 mm
11 0457 40
- 600 mm
11 0465 30




Straight Pan Connector Ø90 mm

- 180 mm
11 0517 15
- 250 mm
11 0012 30
- 350 mm
11 0013 20




Straight Pan Connector Ø100 mm

- 250 mm
11 0502 24
- 350 mm
11 0018 20



Straight Pan Connector Ø110 mm

- 250 mm
11 0019 24
- 350 mm
11 0451 18



Urinal Siphon, Vertical & Horizontal Function

"An innovative design suitable for both vertical and horizontal installations. Its sleek and compact structure makes it an excellent choice as a hidden siphon for urinals. Crafted from high-quality, durable materials, it guarantees long-lasting performance and a secure, leak-proof connection. Perfect for residential and commercial settings, providing a hygienic and dependable solution."


Ø 40 / 50 mm OUTLET

 **11 0472**

 28

 59x38x52 cm

 6,3 kg



Rosette

The rosette is used to cover the gap on the wall where the connector is installed, providing a clean and aesthetic finish.

Ø 100/163 mm

 **11 0596**

 48

 59x38x52 cm


 4,28 kg

Ø110/163 mm

 **11 0597**

Ø90/163 mm

 **11 0599**



Q-Trap - Odour Preventer

"Designed to eliminate unpleasant odors and sewer smells, this compact and efficient siphon is perfect for tight installation spaces. Its space-saving design ensures easy installation while maintaining a clean and hygienic environment. Made from durable materials, it offers long-lasting and reliable performance for both residential and commercial plumbing systems."


Ø 50 mm

 **11 0275**

 80

 59x38x52 cm

 7,37 kg





Strong Installation Systems

Gaskets

148 - 153

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)

U-Pvc Siphon Adapting Gasket 1 1/4" - Ø48-32 mm



Gasket for water inlet on squatting pans.
Can also be used as a siphon adapting gasket for U-PVC pipe.

15 0002

200

39x38x21 cm

5,66 kg



Squatting Pan Gasket - Ø62-32 mm


Gasket for water inlet on squatting pans.

15 0007

200

39x38x21 cm

6,77 kg



U-Pvc Siphon Adapting Gasket 1 1/4" - Ø60-32 mm


Gasket for water inlet on WCs.
Can also be used as a siphon adapting gasket for U-PVC pipe.

15 0009

200

39x38x21 cm

7,17 kg



U-Pvc Siphon Adapting Gasket 1 1/2" - Ø60-40 mm


Gasket for water inlet on one-piece and back to wall WCs.
Can also be used as a siphon adapting gasket for U-PVC pipe.

15 0026

200

39x38x21 cm

3,77 kg



Urinal Clean Water Inlet Gasket - 12 mm

Gasket for water inlet on urinals.



15 0036





200



39x38x21 cm



6,29 kg



Urinal Clean Water Inlet Gasket Type2 - Ø65-42 mm

Gasket for water inlet on squatting pans.



15 0037




150



39x38x21 cm



5,91 kg



U-Pvc Siphon Adapting Gasket 1" - Ø48-25 mm

Siphon adapting gasket for U-PVC pipe.



15 0015





150



39x38x21 cm



3,77 kg



Plaster Mold Parts & Notches

154 - 159

www.izyapi.net • info@izyapi.net

[izyapisanitarywareequipments](#)


Big Blue Notch

19 0037

1000

39x38x21 cm

14,28 kg




Small Green Notch

19 0040

5000

38x25x20 cm

4,75 kg




Straight Rubber Punch

Ø10
19 0041

1500

38x25x20 cm

4,43 kg




Angular Rubber Punch

Ø10
19 0042

2000

38x25x20 cm

8,6 kg




Air Plug

Ø8
19 0045

10000

39x38x21 cm

8 kg




Ø10
19 0046

10000

39x38x21 cm

9 kg





Ø12
19 0047

8000

39x38x21 cm

9,6 kg





Ø14
19 0048

7000

38x38x21 cm

9,8 kg



Adjusting Pin For Lavatory

Prevents angular deformations during production, ensuring proper lavatory alignment. By compensating for uneven cabinet installations, it maintains the correct drainage slope.


Ø 9,5 mm

19 0049

8000

39x38x21 cm

XX kg




Ø 10 mm

19 0050

xx

39x38x21 cm

XX kg




Ø 14 mm

19 0051

xx

39x38x21 cm

XX kg




Air Fork

19 0043

6000

38x25x20 cm

9 kg



Ø90 Anti-Deformation Ring


Prevents the Ø90 wastewater outlet from warping or becoming elliptical during the ceramic firing process, ensuring a perfect circular shape. This eliminates the risk of leaks and guarantees optimal sealing and functionality.

19 0052


400

59x38x42 cm

6,66 kg



NORMAL ELLIPTICAL OUTLET



USING Ø90 ANTI-DEFORMATION RING



Strong Installation Systems



// //



/ /





CATALOGUE PDF



Iz Building Materials and Equipment
Sultansazı OSB Mah. OSB 4.Cadde
No:18 İncesu, Kayseri, Türkiye
T (+90) 212. 879 09 45 **F** (+90) 212. 879 09 46
E info@izyapi.net www.izyapi.net



This catalog is produced using FSC-certified and recycled paper.
The FSC (Forest Stewardship Council) Certification is a management system certification that aims to prevent poor forestry practices, promote sustainable forest management systems, and ensure that forests are managed responsibly.